L Number   Hits   Search Text   DB   Time stam	3 11:00
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	3 11:01
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT; DERWENT;	
DERWENT;   IBM_TDB	
2 5 (("6320166") or ("6408295")).PN.   IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	
2 5 (("6320166") or ("6408295")).PN. USPAT; US-PGPUB; EPO; JPO; DERWENT;	
US-PGPUB; EPO; JPO; DERWENT;	
EPO; JPO; DERWENT;	3 11:01
DERWENT;	3 11:01
TRM TDB	3 11:01
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 11:01
3 4 (("6230166") or ("6408295")).PN. USPAT; 2003/01/2:	
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 365 transaction with (load parse map) with USPAT; 2003/01/2	1 16:27
(table relation database) US-PGPUB;	
EPO; JPO;	
DERWENT;	
- 577 transaction with (load\$4 pars\$4 map\$3) with USPAT: 2003/01/2	1 10.10
- 577 transaction with (load\$4 pars\$4 map\$3) with USPAT; 2003/01/23 (table relation database) US-PGPUB;	r 10:17
(Cable Telacion database) US-PGPOB; EPO; JPO;	
DERWENT;	
IBM TDB	
- 298 (transaction with (load\$4 pars\$4 map\$3) with USPAT; 2003/01/2	16.16
(table relation database)) and (group order) US-PGPUB;	
with transaction EPO; JPO;	
DERWENT;	
IBM TDB	
- 70 ((transaction with (load\$4 pars\$4 map\$3) USPAT; 2003/01/2:	16:17
with (table relation database)) and (group US-PGPUB;	
order) with transaction) and (time\$2stamp EPO; JPO;	
time adj stamp) DERWENT;	
IBM_TDB	
22 ((transaction with (load\$4 pars\$4 map\$3) USPAT; 2003/01/2	l 16:18
with (table relation database)) and (group US-PGPUB;	
order) with transaction) and (time\$2stamp) EPO; JPO;	
DERWENT;	
IBM_TDB   USPAT; 2003/01/2:	16.27
(table relation database) US-PGPUB;	10:27
EPO; JPO;	
DERWENT;	
IBM TDB	
- 35 (transaction near (load parse map) near5 USPAT; 2003/01/23	16:32
(table relation database)) not US-PGPUB;	
(((transaction with (load\$4 pars\$4 map\$3) EPO; JPO;	
with (table relation database)) and (group DERWENT;	
order) with transaction) and (time\$2stamp)) IBM_TDB	
- 155 association with data with mining USPAT; 2003/01/29	16:38
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	
6 (association with data with mining) and USPAT; 2003/01/21	16:32
timestamp US-PGPUB;	
EPO; JPO; DERWENT;	
DERWENT;   IBM TDB	
- 23 (association with data with mining) and USPAT; 2003/01/21	16.22
(time\$2stamp time adj stamp)  US-PGPUB;	. 10:33
EPO; JPO;	
DERWENT;	
IBM TDB	
- 30 (transaction sale) with association with USPAT; 2003/01/21	16:56
data with mining US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	

-	0	load\$3 with transaction with databae	USPAT; US-PGPUB; EPO; JPO;	2003/01/21 16:56
			DERWENT; IBM_TDB	
-	232	load\$3 with transaction with database	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/21 16:56
-	56	(load\$3 with transaction with database) and transaction with (group cluster)	IBM_TDB USPAT; US-PGPUB;	2003/01/21 16:57
			EPO; JPO; DERWENT; IBM_TDB	
-	17	(load\$3 with transaction with database) and mining	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/21 17:02
-	o	tranaction with (translation transformation) with (realtion database table)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/21 17:03
-	148	transaction with (translation transformation) with (realtion database table)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/21 17:03
-	6	(transaction with (translation transformation) with (realtion database table)) and mining	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/21 17:04
-	4	((transaction near (load parse map) near5 (table relation database)) not (((transaction with (load\$4 pars\$4 map\$3) with (table relation database)) and (group	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/21 17:06
· -	16	order) with transaction) and (time\$2stamp))) and transaction near5 group (transaction with (translation	IBM_TDB USPAT;	2003/01/21 17:09
		transformation) with (realtion database table)) and transaction near5 group	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	8	(transaction with (translation transformation) with (realtion database table)) and group with id	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/21 17:09
-	13	(transaction with (translation transformation) with (realtion database table)) and group with (id identifier)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/21 17:25
-	57 5	("4667290"   "4729096"   "4787035"	IBM_TDB USPAT USPAT	2003/01/21 17:10 2003/01/21 17:21
-	57 4587		USPAT USPAT; US-PGPUB;	2003/01/21 17:21 2003/01/21 17:26
-	1985	(transaction same ((group item) with id identifier)) and (transaction with	EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/01/21 17:28
		data\$2base data adj (house store) DB DBMS)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

			T-12-2-2-	1
-	1668	, · · · · · · · · · · · · · · · · · · ·	USPAT;	2003/01/21 17:28
		identifier)) and (transaction with	US-PGPUB;	
		(data\$2base data adj (house store) DB DBMS))	EPO; JPO;	
			DERWENT; IBM TDB	
_	136	((transaction same ((group item) with id	USPAT;	2003/01/21 17:29
	130	identifier)) and (transaction with	US-PGPUB;	2003, 01, 21 1, .23
		(data\$2base data adj (house store) DB	EPO; JPO;	İ
		DBMS))) and mining	DERWENT;	
		J	IBM TDB	
-	651	((transaction same ((group item) with id	USPAT;	2003/01/21 17:29
		identifier)) and (transaction with	US-PGPUB;	
		(data\$2base data adj (house store) DB	EPO; JPO;	
		DBMS))) and load	DERWENT;	
			IBM_TDB	
-	391	((transaction same ((group item) with id	USPAT;	2003/01/21 17:30
		identifier)) and (transaction with	US-PGPUB;	
		(data\$2base data adj (house store) DB	EPO; JPO;	
		DBMS))) and (time\$2stamp (time adj stamp))	DERWENT;	
			IBM_TDB	0000 (00 (00 00 00
-	44	(((transaction same ((group item) with id identifier)) and (transaction with	USPAT;	2003/01/21 17:32
		(data\$2base data adj (house store) DB	US-PGPUB; EPO; JPO;	
		DBMS))) and mining) and (((transaction same	DERWENT;	
		((group item) with id identifier)) and	IBM TDB	
		(transaction with (data\$2base data adj	1051_106	
		(house store) DB DBMS))) and (time\$2stamp	1	
		(time adj stamp)))		
-	1879		USPAT;	2003/01/21 17:32
			US-PGPUB;	
			EPO; JPO;	
Ì			DERWENT;	
			IBM_TDB	
-	37	transaction with group with session	USPAT;	2003/01/21 17:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	i
	804	trangagtion maar2 group	IBM_TDB	2002/01/21 17 20
	804	transaction near2 group	USPAT; US-PGPUB;	2003/01/21 17:38
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	77	(transaction near2 group) and (time adj	USPAT;	2003/01/21 17:40
		stamp time?\$2stamp)	US-PGPUB;	
		_	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	74	'	USPAT;	2003/01/21 17:40
		stamp time?\$2stamp)) and order	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	33	(((transaction near2 group) and (time adj	IBM_TDB   USPAT;	2003/01/21 17:45
		stamp time?\$2stamp)) and order) and (load	USPAT; US-PGPUB;	2003/01/21 1/:45
		map) with (table database)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	parse with transaction with table	USPAT;	2003/01/22 06:50
	1	<del>-</del>	US-PGPUB;	12,12,22
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	100	map with transaction with table	USPAT;	2003/01/22 06:50
1			US-PGPUB;	
1			EPO; JPO;	
1			DERWENT;	
L	L		IBM_TDB	

Page 3

-	11	(map with transaction with table) and (time?\$2stamp time adj stamp)	USPAT; US-PGPUB; EPO; JPO;	2003/01/22 06:54
			DERWENT; IBM_TDB	
-	115	transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time adj stamp)	USPAT; US-PGPUB; EPO; JPO;	2003/01/22 06:55
	107	//	DERWENT; IBM_TDB	2002/01/22 06 55
-	107	<pre>(transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time adj stamp)) and table</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 06:55
-	77	(transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time adj stamp)) and (database db DBMS)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 06:55
-	66	(transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time adj stamp)) and relation	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 06:56
-	25	(transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time adj stamp)) and group with transaction	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 06:56
-	22	transform\$3 map\$4) and (time?\$2stamp time adj stamp)) and group with transaction) and ((transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/22 07:00
-	21	<pre>adj stamp)) and table) (transaction near3 (tranlat\$3 or transform\$3 map\$4) and (time?\$2stamp time adj stamp)) and session with transaction</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 07:01
-	4	(transaction near2 (log data information)) with (load near2 (database db DBMS table tuple relation))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 07:03
-	4	(transaction near2 (log data)) with (load near2 (database db DBMS table tuple relation))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/22 07:06
_	40	transaction with (load near2 (database db DBMS table tuple relation))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 07:08
_	397	pars\$3 with transaction	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 07:35
-	10	(pars\$3 with transaction) and parse with table	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 07:09
-	6004	affinity with analy\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/22 07:36
			IBM_TDB	

-	1	(	USPAT;	2003/01/22 07:38
		transaction)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	3	(affinity with analy\$3) with transaction	IBM_TDB	2003/01/22 07:39
-	3	(allinity with analyss) with transaction	USPAT; US-PGPUB;	2003/01/22 07:39
			EPO; JPO;	
ļ	1		DERWENT;	
			IBM TDB	
_	5	(affinity with analy\$3) same transaction	USPAT;	2003/01/22 07:43
		(44444444444444444444444444444444444444	US-PGPUB;	2003, 02, 22 0, 113
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	(affinity with analy\$3) same transaction	USPAT;	2003/01/22 07:43
		near group	US-PGPUB;	
İ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(affinity with analy\$3) and transaction near	USPAT;	2003/01/22 07:45
		group	US-PGPUB;	
			EPO; JPO;	
	Ì		DERWENT;	
l _	3	(affinity with analyses) and transaction with	IBM_TDB	2002/01/22 07 45
~	3	(affinity with analy\$3) and transaction with session	USPAT;	2003/01/22 07:45
1		Session	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	4	(affinity with analy\$3) and transaction same	USPAT;	2003/01/22 07:48
	-	session	US-PGPUB;	2003/01/22 07:48
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	241	transaction with (affinit\$3 (associat\$3	USPAT;	2003/01/22 07:49
		near3 rule))	US-PGPUB;	
]			EPO; JPO;	
			DERWENT;	
	1.00	(1) (1) (1) (1)	IBM_TDB	
-	162	(transaction with (affinit\$3 (associat\$3	USPAT;	2003/01/22 07:49
		near3 rule))) and (group or session)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
<u> </u>	110	((transaction with (affinit\$3 (associat\$3	IBM_TDB	2003/03/22 07 50
		near3 rule))) and (group or session)) and	USPAT; US-PGPUB;	2003/01/22 07:50
		table	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	50	(((transaction with (affinit\$3 (associat\$3	USPAT;	2003/01/22 08:36
	}	near3 rule))) and (group or session)) and	US-PGPUB;	,,,
		table) and load	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3294	transaction near3 (id or identifier)	USPAT;	2003/01/22 08:37
	1		US-PGPUB;	·
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	923	(transaction near3 (id or identifier)) and	USPAT;	2003/01/22 08:37
		(store or load) with database	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	64	(pars\$3 with transaction) and ((transaction	IBM_TDB	2002/03/20 22 2=
	"	near3 (id or identifier)) and (store or	USPAT;	2003/01/22 08:37
		load) with database)	US-PGPUB; EPO; JPO;	
		,	DERWENT;	
			IBM TDB	

Page 5

		· · · · · · · · · · · · · · · · · · ·		<del></del>
-	0	tansaction same (group near3 session)	USPAT;	2003/01/22 09:40
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
		tangaction and/grown moar? consion)	IBM_TDB	2003/01/22 09:40
-	"	tansaction and (group near3 session)	USPAT; US-PGPUB;	2003/01/22 09:40
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
_	0	tansaction and (group near3 session)	USPAT;	2003/01/22 09:40
		canaderion and (group hears session)	US-PGPUB;	2003/01/22 03:40
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	19	transaction same (group near3 session)	USPAT;	2003/01/22 09:49
		13	US-PGPUB;	,
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	7	("4355372"   "4752675"   "4872113"	USPAT	2003/01/22 09:47
		"4908761"   "5227874"   "5430644"		
		"5615342").PN.		
-	0	(transaction same (group near3 session)) and	USPAT;	2003/01/22 09:50
		time?\$3stamp	US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
-	0	transaction same (time?\$3stamp) with group	USPAT;	2003/01/22 09:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	(transaction same (group near3 session)) and	USPAT;	2003/01/22 09:51
		(time?\$3stamp (time adj stamp))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	12		USPAT;	2003/01/22 09:51
		stamp)) with group	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	1	   5878419.pn. and group	IBM_TDB	2002/01/22 12 22
	]	Jordan and group	USPAT;	2003/01/22 13:37
	1		US-PGPUB; EPO; JPO;	
	İ		DERWENT;	
			IBM TDB	
-	45	transaction\$3 with data with group\$2 with	USPAT;	2003/01/22 13:38
		order\$3	US-PGPUB;	2003/01/22 13:30
		<del></del>	EPO; JPO;	
			DERWENT;	
			IBM TDB	] .
-	199	transaction\$3 with group\$2 with order\$3	USPAT;	2003/01/22 13:42
		. , <u>J</u>	US-PGPUB;	,, 13.72
			EPO; JPO;	i
			DERWENT;	
			IBM TDB	
] -	58	transaction\$3 near2 group\$2 with order\$3	USPAT;	2003/01/22 13:43
	1	_ *:	US-PGPUB;	. , == == :
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
1 -	58	(transaction\$3 near2 group\$2) with order\$3	USPAT;	2003/01/22 13:53
		<u>-</u>	US-PGPUB;	
	Ţ		EPO; JPO;	
	1		DERWENT;	
L			IBM_TDB	

Total		_	1//	T	10000/01/00 10 55
-	-	7	, , = = = = = = = + + = + + = = = = = =	USPAT;	2003/01/22 13:55
101			and (time: \$5camp\$2 (time ad) stamp\$2))		
101					
(time?stamp\$2 (time adj stamp\$2)					
BFO; JPO; DERMENT; IBM TDB   USPAT; US-POPUB; EPO; JPO; DERMENT; US-POPUB; EPO; JP	-	101		USPAT;	2003/01/22 14:04
B			(time?\$stamp\$2 (time adj stamp\$2))	1	
188				1	
83				1	
Cimer@stamp\$2 (time adj stamp\$2)) and (db DBMSdatabase or table)	_	83	((transaction\$3 near2 group\$2) and		2003/01/22 14:05
DBMSdatabase or table)  - 97 ((transactions3 mear2 group\$2) and (time?stamp\$2 (time adj stamp\$2))) and (db DBMS database or table)  - 71 ((transactions3 near2 group\$2) and (time?stamp\$2 (time adj stamp\$2))) and (db DBMS database or table)  - 71 ((transactions3 near2 group\$2) and (time?stamp\$2 (time adj stamp\$2))) and (db DBMS database or table)) and order\$3 with transactions3 near2 group\$2) and (time?stamp\$2 (time adj stamp\$2)) and (db DBMS database or table)) and order\$3 with group  - 27 (((transaction\$1 near2 group\$2) and (time?stamp\$2 (time adj stamp\$2))) and order\$3 with transaction\$3 near2 group\$2) and (time?stamp\$2 (time adj stamp\$2)) and order\$3 with transaction\$3 and session  - 9310 transaction\$3 with (affinit\$2 or associat\$4)  - 9310 transaction\$3 with (affinit\$2 or associat\$4)  - 57 (transaction\$3 with (affinit\$2 or associat\$4)  - 57 (transaction\$3 with (affinit\$2 or associat\$4)  - 16 ("a50335\$" "4570261" "4633467"   US-PGPUB, EPO, JPO, DERWENT; IBM TDB USPAT; US-PG				· ·	2003/01/22 14.03
Part					
1				_	
(time?stamps2 (time adj stamp\$2)) and (db DBMS database or table)   The Company of the Company				_	
DBMS database or table)  - 171 ((transaction\$3 near2 group\$2) and (time?\$stamp\$2 (time adj stamp\$2))) and order\$3 with transaction\$3 near2 group\$2) and (time?\$stamp\$2 (time adj stamp\$2))) and (db DBMS database or table)) and order\$3 with USPAT; IBM_TDB USPAT; I	_	97		T	2003/01/22 14:05
The first content of the property of the pro					
Time			bene decapable of capite,	1	
Timerstons   Timers					
order\$3 with transaction\$3  ((((transaction\$3 near2 group\$2) and (time?\$stamp\$2 (time adj stamp\$2))) and (db DBMS database or table)) and order\$3 with group  (((transaction\$3 near2 group\$2) and (time?\$stamp\$2 (time adj stamp\$2))) and (db DBMS (ditabase or table)) and order\$3 with group\$2 (time adj stamp\$2)) and (cime?\$stamp\$2 (time adj stamp\$2)) and (db DBMS (ditabase))  (((transaction\$3 mear2 group\$2) and (time?\$stamp\$2)) and order\$3 with transaction\$3) and session (transaction\$3 with (affinit\$2 or associat\$4) (US-PGUB; BPO; JPO; DERNENT; IBM TDB USPAT; US-PGUB; BPO; JPO; DERNENT; US-PGUB; B	-	71			2003/01/22 14:07
Content of the property of t					
27    (((transaction\$3 near2 group\$2) and (time*\$stamp\$2 (time adj stamp\$2)) and (db DBMS database or table)) and order\$3 with			order\$3 with transaction\$3		
27					
Ctime?{Sstamp\$2   time adj stamp\$2)} and (db DBMS database or table) and order\$3 with group	_ ,	27	(((transaction\$3 near2 group\$2) and	_	2003/01/22 14:05
DBMS database or table)   and order\$3 with   EPO, JPO;   DERWENT;   IBM TDB   USPAT;   USPAT			( ( ( = = = = = = = = = = = = = = = =	1	2003/01/22 14:05
IBM_TDB					
Second Content of Stramps			group		
Ctime?\$stamp\$2 (time adj stamp\$2)) and order\$3 with transaction\$3) and session					
order\$3 with transaction\$3) and session  PFO; JPO; DERMENT; IBM_TDB USPĀT; USPAT;	-	32	(((transaction\$3 near2 group\$2) and	i	2003/01/22 14:09
- 9310 transaction\$3 with (affinit\$2 or associat\$4) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT USPAT USPAT USPAT USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US					
Same Time			orderys with transactionss; and session		
9310   transaction\$3 with (affinit\$2 or associat\$4)   USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PGPUB; EPO; JPO; DERWENT IBM TDB US-PĀT; US-PGPUB; EPO; JPO; DERWENT IBM TDB US-PĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PĀT; US-PGPUB; EPO; JPO; DERWENT IBM TDB US-PĀT; US-PGPUB; EPO; JPO; DERWENT IBM TDB US-PĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB US-PĀT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB US-PĀT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					
S7	-	9310	transaction\$3 with (affinit\$2 or associat\$4)	_	2003/01/22 14:10
- 57 (transaction\$3 with (affinit\$2 or associat\$4)) and ((transaction\$3 near2 group\$2) and (time?\$stamp\$2 (time adj stamp\$1))  - 16 ("4503535"   "4570261"   "4633467"   IBM_TDB group\$2 (time adj stamp\$2))  - 16 ("4503535"   "4570261"   "4633467"   IBM_TDB group\$2 (time adj stamp\$2)   USPAT group\$2 (time adj stamp\$3)				US-PGPUB;	
TBM_TDB				1	
ST				1	
associat\$4)) and ((transaction\$3 near2 group\$2) and (time?\$stamp\$2 (time adj bRWENT; BM_TDB USPAT 2003/01/22 14:15  16 ("4503535"   "4570261"   "4633467"   USPAT 1BM_TDB USPAT 2003/01/22 14:15  "540689"   "5247664"   "5261089"   "5280612"   "5553280"   "5561797"   USPAT 2003/01/22 14:16  7 7 5729733.URPN. 5729733.URPN. USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;	_	57	(transaction\$3 with (affinit\$2 or		2003/01/22 14:34
group\$2) and (time?\$stamp\$2 (time adj stamp\$2)))  16 ("4503535"   "4570261"   "4633467"   USPAT   USPAT   USPAT   2003/01/22 14:15   USPAT   USPAT   2003/01/22 14:15   USPAT					2003/01/22 14:54
Total					,
-   16	l i		stamp\$2)))		
"4648031"   "4665520"   "4821175"   "5140689"   "5247664"   "5261089"   "5280612"   "5291594"   "5333314"   "5452445"   "5553280"   "5561797"   "5581750").PN.  7	_	1.6	/ HAEO2525H   HAE70261H   HAG22467H		2002/04/02
"5140689" "5247664" "5261089" "5280612" "5291594" "5333314" "5452445" "5553280" "5561797" "5581750").PN.  7	-	10		USPAT	2003/01/22 14:15
"5280612" "5291594" "5333314" "5452445" "5553280" "5561797" "5581750").PN.  7			!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!		
"5452445"   "5553280"   "5561797"   "5581750").PN. 5729733.URPN. (order group) near5 ((time adj stamp) time?\$2stamp)  - 959 (order group) near5 ((time adj stamp\$3) time?\$2stamp\$3)  - 771 ((order group) near5 ((time adj stamp\$3) time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)  - 183 (((order group) near5 ((time adj stamp\$3) time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)) and session  - 183 (((order group) near5 ((time adj stamp\$3) time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)) and session  - 183 ((order group) near5 ((time adj stamp\$3) time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)) and session					
7 5729733.URPN. (order group) near5 ((time adj stamp) USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; U			"5452445"   "5553280"   "5561797"		
S41	}	_			
time?\$2stamp)	-				
Position of the proof of the pr		041			2003/01/22 14:36
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			- Came. Vancamp/	•	
- 959 (order group) near5 ((time adj stamp\$3) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; affinit\$2 associat\$4) and session EPO; JPO; DERWENT;	<u> </u>				
959 (order group) near5 ((time adj stamp\$3) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; USPA					
T71 ((order group) near5 ((time adj stamp\$3) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	-	959		USPAT;	2003/01/22 14:39
Total ((order group) near5 ((time adj stamp\$3)			time?\$2stamp\$3)		
Total ((order group) near5 ((time adj stamp\$3) time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)  183 (((order group) near5 ((time adj stamp\$3) time?\$2stamp\$3)) and (analysis minining time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)) and session  184 (185 TDB USPAT; IBM TDB USPAT; USP					
771 ((order group) near5 ((time adj stamp\$3) USPAT; time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)  183 (((order group) near5 ((time adj stamp\$3) USPAT; IBM_TDB USPAT; time?\$2stamp\$3)) and (analysis minining time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)) and session  EPO; JPO; DERWENT; DERWENT;					
time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)  183 (((order group) near5 ((time adj stamp\$3) USPAT; time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)) and session  EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	-	771	((order group) near5 ((time adi stamp\$3)		2003/01/22 14.40
affinit\$2 associat\$4)  EPO; JPO; DERWENT; IBM_TDB  (((order group) near5 ((time adj stamp\$3) USPAT; US-PGPUB; affinit\$2 associat\$4)) and session  EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;			time?\$2stamp\$3)) and (analysis minining	· ·	,,
- 183 (((order group) near5 ((time adj stamp\$3) USPAT; US-PGPUB; affinit\$2 associat\$4)) and session EPO; JPO; DERWENT;	[	i		EPO; JPO;	
- 183 (((order group) near5 ((time adj stamp\$3) USPĀT; time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)) and session EPO; JPO; DERWENT;				•	
time?\$2stamp\$3)) and (analysis minining US-PGPUB; affinit\$2 associat\$4)) and session EPO; JPO; DERWENT;	_	102	((lorder group) posse ((time add state)		2002/02/20 1
affinit\$2 associat\$4)) and session EPO; JPO; DERWENT;		103	time?\$2stamp\$3)) and (analysis minima		2003/01/22 14:41
DERWENT;	l i			-	
——————————————————————————————————————					

-	164	time?\$2stamp\$3)) and (analysis minining	USPAT; US-PGPUB;	2003/01/22 14:42
		affinit\$2 associat\$4)) and session) and (earl\$3 lat\$3)	EPO; JPO; DERWENT;	
		////	IBM_TDB	0000 /00 /00 14 44
-	20		USPAT;	2003/01/22 14:44
		time?\$2stamp\$3)) and (analysis minining affinit\$2 associat\$4)) and session) and	US-PGPUB; EPO; JPO;	
		(earl\$3 lat\$3) near4 order\$3	DERWENT;	
		(carrys racys) means oracrys	IBM TDB	
_	80	transaction near4 (earl\$3 lat\$3) near4	USPAT;	2003/01/22 14:45
		order\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l <u>-</u>	20	(transaction near4 (earl\$3 lat\$3) near4	IBM_TDB USPAT;	2003/01/22 16:33
	20	order\$3) and group with transaction	US-PGPUB;	2003/01/22 10.33
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	2	5974396.pn. and group	USPAT;	2003/01/22 14:54
1	1		US-PGPUB; EPO; JPO;	
	1		DERWENT;	
			IBM TDB	
-	4	contact with infor	USPAT;	2003/01/22 16:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	3055	contact with pathway	IBM_TDB USPAT;	2003/01/22 16:33
		- contact when pacinal	US-PGPUB;	2003/01/22 10:33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000 /00 /00
-	0	adress with book and (contact with pathway)	USPAT;	2003/01/22 16:34
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	adress with (contact with pathway)	USPAT;	2003/01/22 16:33
1		ı	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	3	address with book and (contact with pathway)	USPAT;	2003/01/22 16:34
			US-PGPUB;	111, 32, 22 20.01
			EPO; JPO;	
1			DERWENT;	
_	2	6073138\$.did.	IBM_TDB	2003/01/22 16:37
1	,	00,51500.010.	USPAT; US-PGPUB;	2003/01/22 16:37
[			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20105	concatenat\$3	USPAT;	2003/01/22 16:37
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	14	concatenat\$3 with order with item	USPAT;	2003/01/22 16:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	483	concatenat\$3 with id	IBM_TDB USPAT;	2003/01/22 16:43
		, <del></del>	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
L			IBM_TDB	

-	208	(concatenat\$3 with id) and transaction	USPAT;	2003/01/22 16:39
	i		US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	8	(concatenat\$3 with id) and transaction with	USPAT;	2003/01/22 16:43
		group	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	_		IBM_TDB	
-	8	1 ,	USPAT;	2003/01/22 16:44
		with group	US-PGPUB; EPO; JPO;	
			DERWENT;	
	ļ		IBM TDB	
-	923	concatenat\$3 with (id or identifier)	USPAT;	2003/01/22 17:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	69	(gangatanatéa with (id or identifical) and	IBM_TDB USPAT;	2002/01/22 16:46
<b>-</b>	69	(concatenat\$3 with (id or identifier)) and ((product or item) near (id or identifier))	US-PGPUB;	2003/01/22 16:46
		( (product of feem) hear (id of identificity)	EPO; JPO;	
			DERWENT;	
+			IBM TDB	
-	18	(concatenat\$3 with (id or identifier)) and	USPAT;	2003/01/22 16:45
		transaction\$3 with group	US-PGPUB;	•
	1		EPO; JPO;	
			DERWENT;	
1 _	14	concatenat\$3 with order with item	IBM_TDB USPAT;	2003/01/22 16:48
İ	_ **	Consactinates with order with reci	US-PGPUB;	2003/01/22 10:48
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2073		USPAT;	2003/01/22 16:49
		purchase) order)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	1	concatenat\$3 with ((product or purchase) adj	USPAT;	2003/01/22 16:51
		order)	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
	_	concetenates with ((madest or surebose)	IBM_TDB	2002/02/20 16 50
	7	concatenat\$3 with ((product or purchase) adj4 order)	USPAT; US-PGPUB;	2003/01/22 16:52
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	60	concatenat\$3 with (order adj4 number)	USPAT;	2003/01/22 16:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-	26	(concatenat\$3 with (order adj4 number)) and	USPAT;	2003/01/22 16:53
		transaction	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		[,	IBM_TDB	
ļ <sup>-</sup>	26	(concatenat\$3 with (order adj4 number)) and	USPAT;	2003/01/22 16:53
		transaction\$3	US-PGPUB;	
]			EPO; JPO; DERWENT;	
			IBM TDB	
-	0	concatenat\$3 with (order adj4 (number	USPAT;	2003/01/22 16:59
		identifier id)) with ((item product) adj4	US-PGPUB;	, ,
		(number identifier id))	EPO; JPO;	
			DERWENT;	
L			IBM_TDB	

-	5	concatenat\$3 with (order adj4 (number	USPAT;	2003/01/22 17:01
		identifier id)) same ((item product) adj4	US-PGPUB;	1
		(number identifier id))	EPO; JPO;	†
			DERWENT;	
			IBM_TDB	1
-	132	concatenat\$3 with unique with identifier	USPAT;	2003/01/22 17:08
	l		US-PGPUB;	
			EPO; JPO;	
	•		DERWENT;	j
			IBM_TDB	1
-	5	(concatenat\$3 with unique with identifier)	USPAT;	2003/01/22 17:07
		and (transaction with group)	US-PGPUB;	
			EPO; JPO;	
	İ		DERWENT;	
	ŀ		IBM_TDB	1
-	5	1 ,	USPAT;	2003/01/22 17:07
	}	and (transaction\$4 with group)	US-PGPUB;	
	ŀ		EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	1
-	5		USPAT;	2003/01/22 17:07
		and (transaction\$4 with (group session))	US-PGPUB;	
			EPO; JPO;	
	-		DERWENT;	
	_		IBM_TDB	0000/65/50
-	5		USPAT;	2003/01/22 17:10
		session))	US-PGPUB;	
		<u>.</u>	EPO; JPO;	1
		·	DERWENT;	]
			IBM_TDB	0000/01/00 00
-	24	· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/01/23 07:14
		(number id or identifier))	US-PGPUB;	
			EPO; JPO;	
	]		DERWENT;	
l _	27	concatenat\$3 with ((order) near (number id	IBM_TDB	2002/01/22 07 47
-	21	or identifier))	USPAT;	2003/01/23 07:47
	İ	or identifier),	US-PGPUB;	
			EPO; JPO; DERWENT;	:
			IBM TDB	
i _	119	707/7 and concatenat\$3	USPAT;	2003/01/23 07:46
		l long to the desired of the least of the le	US-PGPUB;	2003,01,23 07.40
			EPO; JPO;	İ
			DERWENT;	
			IBM_TDB	
-	86	(707/7 and concatenat\$3) and (transaction\$2	USPAT;	2003/01/23 07:26
		purchas\$3 or product\$2)	US-PGPUB;	=====, ==, ==
1		<u> </u>	EPO; JPO;	
1			DERWENT;	
1			IBM TDB	
-	9798	(product purhcase transaction) and	USPAT;	2003/01/23 07:47
1		concatenat\$3	US-PGPUB;	
1			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
-	1355	((product purhcase transaction) and	USPAT;	2003/01/23 07:48
1		concatenat\$3) and (concatenat\$3 near5	US-PGPUB;	
l		(number id or identifier))	EPO; JPO;	
İ			DERWENT;	
			IBM_TDB	
-	1306	(product purhcase transaction) same	USPAT;	2003/01/23 07:48
		concatenat\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	ļ
			IBM_TDB	
, <del>-</del>	256	((product purhcase transaction) same	USPAT;	2003/01/23 07:48
 	]	concatenat\$3) and (concatenat\$3 near5	US-PGPUB;	
		(number id or identifier))	EPO; JPO;	
	]		DERWENT;	
			IBM_TDB	

				<u></u>
-	28	, , , P = = = = P = = = = = = , = = = , = = = ,	USPAT;	2003/01/23 07:50
		concatenat\$3) and (concatenat\$3 near5	US-PGPUB;	
		(number id or identifier))) and item same	EPO; JPO;	
	İ	order	DERWENT;	
			IBM_TDB	
-	0	(order\$2 adj3 (number or id identifier))	USPAT;	2003/01/23 08:04
		with concatenat\$4 with ((item\$2 product\$2)	US-PGPUB;	
		adj3 (number or id identifier))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	9	(order\$2 with (number or id identifier))	USPAT;	2003/01/23 08:10
		with concatenat\$4 with ((item\$2 product\$2)	US-PGPUB;	
		with (number or id identifier))	EPO; JPO;	i
			DERWENT;	
1			IBM TDB	
-	92	support with lift with join	USPAT;	2003/01/23 08:10
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	6	(support with lift with join) and support	USPAT;	2003/01/23 09:01
		with table	US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	6061682.pn. and support with table	USPAT;	2003/01/23 09:02
		The state of the s	US-PGPUB;	2003,01,23 03.02
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	6061682.pn. and table	USPAT;	2003/01/23 09:03
	_	Total Care Care Care Care Care Care Care Care	US-PGPUB;	2003/01/23 03:03
			EPO; JPO;	
			DERWENT;	
:			IBM TDB	
- 1	2	6061682.pn. and support	USPAT;	2003/01/23 09:16
	_	January Suppose	US-PGPUB;	2003/01/23 03:10
			EPO; JPO;	***
			DERWENT;	
			IBM TDB	
_	1	5974396.pn. and (join or concatenat\$3)	USPAT;	2003/01/23 09:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	33	(US-6408303-\$ or US-6052672-\$ or	USPAT;	2003/01/23 09:17
		US-6278998-\$ or US-6236982-\$ or US-6408295-\$	US-PGPUB	2003/01/23 09:1/
		or US-6301575-\$ or US-6061682-\$ or	OB TGT OB	•
		US-5615341-\$ or US-5724573-\$ or US-6141699-\$		
		or US-6014647-\$ or US-5557780-\$ or		
		US-5878419-\$ or US-6032147-\$ or US-6446092-\$		
		or US-6351744-\$ or US-5754845-\$ or		
		US-5283897-\$ or US-5974396-\$ or US-5729733-\$		
		or US-6286011-\$ or US-6230166-\$ or		
		US-5675784-\$ or US-4578530-\$ or US-6418446-\$		
		or US-6389403-\$).did. or (US-5924094-\$ or		
	İ	US-5241648-\$).did. or (US-20020103660-\$ or		
		US-20020174087-\$ or US-20020016771-\$ or		
		US-200200174087-3 Of US-20020016771-3 OF US-20020082886-\$ or US-20020111870-\$).did.		
		00 20020002000-3 OI 03-20020III8/U-\$/.QlQ.		

	· ·			
-	14	((US-6408303-\$ or US-6052672-\$ or	USPAT;	2003/01/23 09:39
		US-6278998-\$ or US-6236982-\$ or US-6408295-\$	US-PGPUB;	
		or US-6301575-\$ or US-6061682-\$ or	EPO; JPO;	
		US-5615341-\$ or US-5724573-\$ or US-6141699-\$	DERWENT;	
		or US-6014647-\$ or US-5557780-\$ or	IBM TDB	
		US-5878419-\$ or US-6032147-\$ or US-6446092-\$	-	
	}	or US-6351744-\$ or US-5754845-\$ or		
		US-5283897-\$ or US-5974396-\$ or US-5729733-\$		
		or US-6286011-\$ or US-6230166-\$ or		
		US-5675784-\$ or US-4578530-\$ or US-6418446-\$		1
		or US-6389403-\$).did. or (US-5924094-\$ or		
		US-5241648-\$).did. or (US-20020103660-\$ or		
		US-20020174087-\$ or US-20020016771-\$ or		
		US-20020082886-\$ or US-20020111870-\$).did.)		
	1	and concatenat\$3		
<u> </u>	, ,	6061682.pn. and divid\$3	USPAT:	2003/01/23 09:39
-		ovolooz.pii. and dividas		2003/01/23 09:39
İ			US-PGPUB;	
			EPO; JPO;	į l
			DERWENT;	}
			IBM_TDB	]